



**Oneonta Block Company  
Pickett Building Materials**

6459 State Highway 23, Oneonta, NY 13820-6550  
Office—607-432-6641, Store—607-432-8391  
Fax—607-433-6284, Toll Free in NYS 800-686-0111  
E-Mail [obc@oneontablock.com](mailto:obc@oneontablock.com), [www.oneontablock.com](http://www.oneontablock.com)  
Divisions of Arnan Development Corporation

**CERTIFICATE OF COMPLIANCE**

**12" Concrete Masonry Units Regular Weight**

THIS WILL CERTIFY THAT: CONCRETE MASONRY UNITS, MANUFACTURED BY ONEONTA BLOCK COMPANY FOR THE ABOVE NAMED PROJECT, COMPLY WITH THE FOLLOWING SPECIFICATIONS:

ASTM C140 Test from the National Concrete Masonry Association Demonstrating Compliance to ASTM C90 'Standard Specification for Load Bearing Concrete Masonry Units.' With a minimum 28 day area compressive strength of 2800 psi.

ASTM C1314 Standard test method for compressive strength of masonry prisms showing the 28-day prism test values of the 2800 net area compressive strength units.

ASTM C426 Standard test method for linear drying shrinkage of concrete masonry units. Demonstrating compliance to ASTM C90 'Standard Specification for Load Bearing Concrete Masonry Units.

Oneonta Block Company will comply with a 28-day net area compressive strength of 2800 psi.

ALL REGULAR WEIGHT BLOCK ARE MANUFACTURED WITH NEW YORK STATE DOT CERTIFIED LIMESTONE AND NEW YORK STATE DOT CERTIFIED GLENS FALLS PORTLAND CEMENT TYPE III.

ALL REGULAR WEIGHT BLOCK ARE FM2000 CERTIFIED. ONEONTA BLOCK COMPANY IS A CURRENT PARTICIPANT IN THE FM 2000 PROGRAM. BLOCKS ARE IN COMPLIANCE WITH THE NEW YORK STATE CONCRETE MASONRY ASSOCIATION'S RANDOM SAMPLING AND TEST PROVISIONS OF THE FM2000 ASSURANCE OF QUALITY PROGRAM.



ALL UNITS OF BLOCK DELIVERED TO THIS PROJECT WILL BE MARKED WITH THE NEW YORK STATE MASONRY ASSOCIATION FM2000 ASSURANCE OF QUALITY LOGO.

